
VERNON Royal LINE

Uma
inornata

Uma
inornata

T.C. #1

SPECIES Uma inornata

SACK NO. B11 SEX ♀ AGE young

WEIGHT(gms) SNOUT-VENT LENGTH (mm) 40

DATE Aug. 26, 1958 SPEEDOMETER 11139

LOCALITY 3 mi. W. of Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0935 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%)

WIND DIRECTION N.W. ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 1 TAG NO.

AIR TEMPERATURE 40.2 °C 104.4 °F

ROAD TEMPERATURE 52 °C 125.6 °F

SOIL SURFACE TEMPERATURE 55 °C 131 °F

CLOACAL TEMPERATURE °C °F

HABITAT open sandy desert.

REMARKS: sitting on road.

T.C. #2

SPECIES Uma inornata

SACK NO. B12 SEX ♂ AGE young

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 36

DATE Aug. 26, 1958 SPEEDOMETER 11117

LOCALITY 2 mi. S.E. of Garnet, Riverside Co., Calif.

STANDARD TIME 0530 CLOUDS 5%

MOON (day) RELATIVE HUMIDITY(%) 40

WIND DIRECTION none ALTITUDE(ft) 860

WIND VELOCITY(miles/hour) 0 TAG NO. _____

AIR TEMPERATURE 24.8 °C 76.6 °F

ROAD TEMPERATURE 27 °C 80.6 °F

SOIL SURFACE TEMPERATURE 25 °C 77 °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT flat, sandy desert.

REMARKS: Caught on pavement before sunrise.

T.C.# 3

SPECIES Uma inornata

SACK NO. B6 SEX ♂ [redacted] AGE young

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 40

DATE Aug. 26, 1958 SPEEDOMETER 11136

LOCALITY Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0710 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.W. ALTITUDE(ft) 340

WIND VELOCITY(miles/hour) 9-15 TAG NO. _____

AIR TEMPERATURE 34.5 °C 94.1 °F

ROAD TEMPERATURE 37 °C 98.6 °F

SOIL SURFACE TEMPERATURE 36.5 °C 97.7 °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT open, sandy desert.

REMARKS: sitting on road.

T.C. # 4

SPECIES: Uma inornata

SACK NO. B7 SEX ♀ AGE young

WEIGHT (gms) _____ SNOUT-VENT LENGTH (cm) 38

DATE: Aug. 26, 1958 SPECIMEN NO. 11136

LOCALITY: Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0720 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) _____

WIND DIRECTION N. W. AZIMUTH(°) 340

WIND VELOCITY (miles/hour) 9-15

AIR TEMPERATURE 34.5 °C 94.1 °F

ROAD TEMPERATURE 37 °C 98.6 °F

SOIL SURFACE TEMPERATURE 36.5 °C 97.7 °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT: open sandy desert.

REMARKS: sitting on road.

T.C. #5

SPECIES Uma inornata

TAGS NO. B32 SEX ♀ AGE juv.

WEIGHT(gm) 1.6 SNOUT-VENT LENGTH (mm) 41

DATE Oct. 24, 1958 THERMOMETER 13362

LOCALITY 4 mi. W. of 1000 Palms, Riverside Co., Calif.

STARTED TIME 0845 CLOUDS 50%

WOOD — RELATIVE HUMIDITY(%)

WIND DIRECTION none ALTITUDE(ft) 475

WIND VELOCITY (miles/hour) 0 TAGS NO.

AIR TEMPERATURE 19.8 °C °F

ROAD TEMPERATURE °C °F

MEAN SURFACE TEMPERATURE 27 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Sand at base of vegetation.

REMARKS

T.C. # 6

SPECIES Uma inornata

SACK NO. B32 SEX ♂ AGE juv.

WEIGHT(gms) 2.4 SNOUT-VENT LENGTH (mm) 42

DATE Oct. 24, 1958 SPEEDOMETER 13362

LOCALITY 4 mi. W. of 1000 Palms, Riverside Co., Calif.

STANDARD TIME 0830 CLOUDS 50%

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION none ALTITUDE(ft) 475

WIND VELOCITY (miles/hour) 0 TAGE NO.

AIR TEMPERATURE 19.8 °C °F

ROAD TEMPERATURE °C °F

SOIL SURFACE TEMPERATURE 27 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Sand at base of vegetation.

REMARKS:

SPECIES Uma inornata TAG NO.

CONTAINER NO B24 SEX ♂ AGE imm. TOE-CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE Apr. 30, 1959 SPECIMEN NO. 39022

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0830 CLOUDS(% overcast) 40

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 25 ROAD TEMP.

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 25.6 °C

SURFACE TEMP 36.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS: seen on surface of sand

Died on way to laboratory

SPECIES: Uma inornata

CATALOG NO. R 22 ♀ ad.

DATE: June 12, 1959 COLLECTOR: 4076

LOCALITY: 5 mi. N.W. of 1000 Palms

COUNTY: Riverside STATE:

STANDARD TIME: 0855 CLOUDS (% Overcast) 0

RAIN: — RELATIVE HUMIDITY(%) 20

WIND DIRECTION: S.E. ELEVATION (ft.) 600

WIND VELOCITY (mi/hr) 7-9 SOIL TEMP.

AIR TEMP(30 cm) 38.5 °C AIR TEMP(1 cm) 42.4

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP

BODY SURFACE TEMP °C

HABITAT: sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush.
Dead on arrival at UCR

SPECIES Uma inornata TAG. NO.

CONTAINER NO. R3 SEX f AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0805 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 43

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: No chase. sitting on top of dune. Dead on arrival at UCR, 2 eggs in oviduct.

SPECIES UMA INORNATA TAG. NO. [redacted]

CONTAINER NO. Y8 SEX ♀ AGE imm TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE [illegible] 1 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0645 CLOUDS(% overcast) 0

MOON ~ RELATIVE HUMIDITY(%) 42

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 28.1 °C

SOIL SURFACE TEMP 28.0 °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on dune

Lost.

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. B34 SEX ♂ AGE imm TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0945 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.6 °C AIR TEMP(1 cm) 25.5 °C

SOIL SURFACE TEMP 36.6 °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: under Chilopsis linearis

Sent to A.M. Earle, Univ. of Colorado

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. B34 SEX ♀ AGE imm. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0945 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.6 °C AIR TEMP(1 cm) 25.5 °C

SOIL SURFACE TEMP 36.6 °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in sun on sand. Ran to Chilopsis linearis. Sent to A.M. Earle, Univ. of Colorado

SPECIES UMA NOTATA TAG. NO. _____

CONTAINER NO. B 34 SEX ♂ AGE imm. TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 5

MOON – RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.6 °C AIR TEMP(1 cm) 25.5 °C

SOIL SURFACE TEMP 36.6 °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in shade of creosote bush
Sent to A.M. Earle, Univ. of Colorado

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. B34 SEX ♂ AGE imm. TOE CLIP # 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1010 CLOUDS(% overcast) 5

MOON – RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.6 °C AIR TEMP(1 cm) 25.5 °C

SOIL SURFACE TEMP 36.6 °C CLOACAL TEMP 36.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on sand. Sent to A. M. Earle, Univ. of Colorado.

SPECIES UMA INGRNATA TAG. NO. _____

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # [redacted]

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE APR 14 1960 SPEEDOMETER 35226

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1050 CLOUDS(% overcast) 80 (thin)

MOON – RELATIVE HUMIDITY(%) 52

WIND DIRECTION S.W. ALTITUDE(ft.) ~~4085~~ 1100

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26.4 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 35.4 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on open sand

Frank dropped it.

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. R36 SEX ♀ AGE ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0745 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in sun

Sent to Univ. of Michigan

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. R36 SEX ♀ AGE ad TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 11 [illegible] SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0755 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: In shade of Larrea. Sent to Univ. of Michigan

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. R36 SEX ♀ AGE ad TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0800 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: Shade of Larrea

Sent to Univ. of Michigan

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. R36 SEX ♀ AGE 9d TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0730 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: under sand

Sent to Univ. of Michigan

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. R23 SEX ♂ AGE ad TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0750 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 40.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in shade of creosote bush

Sent to Univ. of Michigan

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. R23 SEX ♀ AGE ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0740 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 37.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Sent to Univ. of Michigan

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. R23 SEX ♀ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0730 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: Sent to Univ. of Michigan

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. R23 SEX ♀ AGE ad TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: under creosote bush

Sent to Univ. of Michigan

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. R23 SEX ♀ AGE ad TOE CLIP # 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: under creosote bush

Sent to Univ. of Michigan

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. _____ SEX ♀ AGE ad.? TOE CLIP# 8

WEIGHT(gms) 9.7 SNOUT-VENT LENGTH(mm) 73

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1

AUG 16 1960 Found dead in outdoor cage Sept. 8, 1960.

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. ____ SEX ♂ AGE ad.? TOE CLIP # 11

WEIGHT(gms) 13.9 SNOUT-VENT LENGTH(mm) 79

DATE AUG 11 1980 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1
AUG 16 1980

Not recovered

SPECIES UMA INORNATA TAG. NO. _____

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # 21

WEIGHT(gms) 15.5 SNOUT-VENT LENGTH(mm) 88

DATE AUG 11 1980 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1

AUG 16 1980

Not recovered

SPECIES UMA INORNATA TAG. NO. [redacted]

CONTAINER NO. R25 SEX ♀ AGE ad TOE CLIP# 17

WEIGHT(gms) 14.1 AUG 18, 1960 SNOUT-VENT LENGTH(mm) [redacted] 74

DATE Aug. 11, 1960 SPEEDOMETER

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Caught in trap

Released in outdoor cage #1

AUG 18 1960

~~Not recovered~~ Found in outdoor cage and given to Loreé Ostroff to put on 24 hours of light - June 23, 1961.

SPECIES UMA INSIGNATA TAG NO. _____

CONTAINER NO. B59 SEX ♂ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE SEP 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 44.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in shade of Larrea divericata

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. B75 SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE OCT 10 1981 SPEEDOMETER _____

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Buried in sand beneath Larrea divericata

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. B75 SEX ♀ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE OCT 10 1961 SPEEDOMETER _____

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. B75 SEX ♀ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE OCT 10 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1415 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAR 28 1962 SPEEDOMETER _____

LOCALITY Palm Springs (Vista Chino)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in sun on dune. Released at capture site.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAR 28 1962 SPEEDOMETER _____

LOCALITY Palm Springs (Panorama)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1135 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: in sun. Released at collecting site.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAY 20 1972 SPEEDOMETER _____

LOCALITY Palm Springs (Vista Chino)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 99

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in open. Released at capture site.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE MAR 28 1962 SPEEDOMETER _____

LOCALITY Palm Springs (Panorama)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1230 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on rock. Released at capture site.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. B25 SEX ♀ AGE imm TOE CLIP# 40

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE MAR 28 1962 SPEEDOMETER _____

LOCALITY Palm Springs (Vista Chino)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.2 °C AIR TEMP(1 cm) 29.6 °C

SOIL SURFACE TEMP 41.5 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on dune. Released in outdoor cage.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. 857 SEX ♀ AGE ~~ad~~ imm. TOE CLIP# 50

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE MAR 28 1962 SPEEDOMETER _____

LOCALITY Palm Springs (Panorama)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1115 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in shade. Released in outdoor cage

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE APR 24 1962 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0925 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in sun on dune. Released.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE APR 24 1962 SPEEDOMETER _____

LOCALITY Rio del Sol Road, 3 mi. N. of Rancho Mirage

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1620 CLOUDS(% overcast) 75

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade (Released)

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. 014 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 21 1962 SPEEDOMETER _____

LOCALITY Palm Springs (Vista Chino

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 12 FEET

REMARKS: in broken shade of Larrea divericata

Escaped.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. 014 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 21 1982 SPEEDOMETER _____

LOCALITY Palm Springs (Vista Chino)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in sun on sand, Escaped.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 21 1962 SPEEDOMETER _____

LOCALITY Palm Springs (Vista Chino)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on sand. Escaped.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. 014 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE JUN 21 1962 SPEEDOMETER _____

LOCALITY Palm Springs (Vista Chino)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on sand. Escaped.

SPECIES UMA INORNATA TAG NO. ~~447~~

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUL 11 1962 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0720 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade

(Released)

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE AUG 8 1962 SPEEDOMETER _____

LOCALITY Palm Springs (Panorama)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 44.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in shade of Larrea

(Released)

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.4 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun

Released

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

Released

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE FEB 20 1983 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.2 °C AIR TEMP(1 cm) 30.5 °C

SOIL SURFACE TEMP 47.2 °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

Released

SPECIES UMA INORNATA TAG NO.

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 57

DATE FEB 20 1963 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in sun

Released

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) 32.6 °C

SOIL SURFACE TEMP 42.8 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

Released

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 104

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

Released

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 31

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in broken shade of Larrea.

Released.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun

Released.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 56

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: in sun

Released.

SPECIES UMA INCONSPICUA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun

Released.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1340 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: broken shade of Larrea.

Released.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1350 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun

Released.

SPECIES UMA INSCRIPTA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

Released.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

Released.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE FEB 20 1968 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

Released.

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 61

DATE FEB 20 1963 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in sun

Released

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# ~~[illegible]~~

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE JUL 11 1963 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: escaped

SPECIES UMA INSIGNATA TAG NO. ____

CONTAINER NO. R35' SEX ♂ AGE ad TOE CLIP# 141

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 116

DATE JUL 11 1963 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0615 CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(1 m) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: taken to UCLA

~~Released dune # 4~~

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE mm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE NOV 5 1964 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1012 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 425

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: _____

SPECIES UMA INCORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE ~~juv~~ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE NOV 8 1981 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C. AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE NOV 5 1964 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C. AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 60

DATE NOV 5 1984 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE NOV 5 1964 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1203 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE NOV 5 1984 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1208 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE NOV 5 1964 SPEEDOMETER _____

LOCALITY Palm Springs Preserve

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1222 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 425

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C. AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 43

DATE NOV 5 1964 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1231 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 425

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE JUV TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE NOV 5 1964 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1248 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♂ AGE Imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 56

DATE NOV 6 1964 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1322 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE NOV 5 1964 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1335 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 425

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. _____

CONTAINER NO. _____ SEX ♀ AGE JUV TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 43

DATE JUN 5 1964 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 425

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: _____

Uma
scoparia

Uma
scoparia

Uma scoparia

B33 imm.

Oct. 17, 1958 H761

1 mi. N. of Newberry, San Bernardino Co., Calif

0825 none

— ~5

SW 1725

2

24

31.4

Mesquite covered sand hummocks

Preserved for collection

Uma scoparia

B 21 juv.

55

Oct. 17, 1958 11775

10 mi. E. of Newberry, San Bernardino Co., Calif.

1141 none

— ~5

none 1800

0

32.2

47.8

Sand between lava outcrops.

Preserved for collection

TC # 1

SPECIES Uma scoparia

SACK NO. B3 SEX ♂ AGE juv.

WEIGHT(gms) 1.9 SNOUT-VENT LENGTH (mm) 42

DATE Feb. 4, 1959 SPEHIXMETER 20384

LOCALITY 3 mi. S. of Rice, San Bernardino Co., Calif.

STANDARD TIME 1215 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 23

WIND DIRECTION none ALTITUDE(ft) 925

WIND VELOCITY (miles/hour) 0 TAG NO.

AIR TEMPERATURE 18.5 °C °F

~~ROAD~~ Air (1cm) TEMPERATURE 21 °C °F

SOIL SURFACE TEMPERATURE 33.5 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT sand dune

REMARKS: Near Rice - Midland Road

TC # 2

SPECIES Uma scoparia

SACK NO. B27 SEX ♂ AGE imm.

WEIGHT(gms 2.9 SNOUT-VENT LENGTH(mm)

DATE Feb. 20, 1959 SPEDOMETER 14276

LOCALITY 22 mi. E. of 29 Palms, San Bernardino Co., Calif.

STANDARD TIME 1212 CLOUDS 60%

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION none ALTITUDE(ft) 1325

WIND VELOCITY(miles/hour) 0 TAG NO.

AIR TEMPERATURE 18 °C °F

~~ROAD~~ Air (1cm) TEMPERATURE 21 °C °F

SOIL SURFACE TEMPERATURE 32.5 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT sand between creosote bushes.

REMARKS:

TC# 3

SPECIES Uma scoparia

SEX B31 AGE ♀ ADD imm.

WEIGHT (GMS) 3.7 SNOUT-VENT LENGTH (MM) 51

DATE Feb. 20, 1959 TIME 1427 6

LOCALITY 22 mi. E. of 29 Palms, San Bernardino Co., Calif.

STANDARD TIME 1140 CLOUDS 60%

WIND — RELATIVE HUMIDITY(%) 41

WIND DIRECTION none ELEVATION 1325

WIND VELOCITY (MILES/HOUR) 0 FOG —

AIR TEMPERATURE 15.5 °C °F

Air (1cm) TEMPERATURE 23.0 °C °F

SOIL SURFACE TEMPERATURE 31 °C °F

OBJECT TEMPERATURE °C °F

HABITAT sandy soil between creosote bushes.

REMARKS

SPECIES Uma scoparia TAG NO. ——

CONTAINER NO. Y11 SEX ♂ AGE ad. TOE-CLIP? ——

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 95

DATE Mar. 13, 1959 SPEDOMETER 2049

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1245 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP (30 in) 28.0 °C AIR TEMP(1 cm) 29.0 °C

SUBSTRATE TEMP 45.5 °C CLOACAL TEMP °C

SUBSTRATE TEMP °C

HABITAT sand dune

Preserved for collection

SPECIES Uma scoparia TAG NO.

CONTAINER NO. YO, SEX ♂ AGE ad. TOE-CLIP

HEIGHT(mm) SNOUT-VENT LENGTH(mm) 104

DATE Mar. 13, 1959 SPEEDOMETER 2049

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1325 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP (30 in) 28.0 °C AIR TEMP(1 cm) 29.0 °C

SUBSTRATE TEMP 45.5 °C CLOACAL TEMP °C

SUBSTRATE TEMP °C

HABITAT sand dune

REMARKS Preserved for collection

SPECIES Uma scoparia

SACK NO. B10 SEX ♂ AGE imm.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Mar. 13, 1959 SPEEDOMETER 2049

LOCALITY 22 mi. E. of 29 Palms, San Bernardino Co., Calif.

STANDARD TIME 1145 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION none ALTITUDE(ft) 1400

WIND VELOCITY(miles/hour) 0 TAG NO. _____

AIR TEMPERATURE (30") 28.0 °C _____ °F

~~SOIL~~ Air TEMPERATURE (1cm) 29.0 °C _____ °F

SOIL SURFACE TEMPERATURE 45.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT sand dune

REMARKS: Bobby took it to school.

SPECIES Uma scoparia TAG NO.

COLLECTOR NO. B33 SEX ♀ AGE imm. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0850 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 40

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP(30 in) 29.5 °C AIR TEMP(1 cm) 32.3 °C

SOIL SURFACE TEMP 44.2 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush.
Dead in bottle

SPECIES Uma scoparia SEX. ♂

COLLECTED BY B34 SEX ♂ AGE imm. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0944 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 38

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 32.5 °C

SOIL SURFACE TEMP 49.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush.
Dead in bottle

SPECIES Uma scoparia TAG. NO.

CONTAINER NO. B35 SEX ♀ AGE imm. FOB CLIP 7

WEIGHT(gms) SNOUT-VENT LENGTH(cm)

DATE Aug. 20, 1959 SPEEDOMETER 29877

LOCALITY 24 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 31

WIND DIRECTION 0 ALTITUDE(ft.) 1500

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 27.6 °C AIR TEMP(1cm) 31.6

SOIL SURFACE TEMP 43.0 °C CLOACAL TEMP 37.8

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on open sand. 25 ft. chase. Dead on arrival at UCR.

SPECIES UMA SCOPARIA TAG. NO. _____

CONTAINER NO. – SEX ♂ AGE juv. TOE CLIP# 11

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE Mar. 7, 1960 SPEEDOMETER 134

LOCALITY 20 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.2 °C AIR TEMP(1 cm) 27.6 °C

SOIL SURFACE TEMP 37.6 °C CLOACAL TEMP 32.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: Released at site of capture. In sun on open sand.

SPECIES: Uma scoparia TAG. NO.

CATALOG NO. B37 SEX ♂ AGE imm. TOE CLIP 1

WEIGHT(gms) 3.2 SNOUT-VENT LENGTH(mm) 50

DATE Aug. 20, 1959 SPEEDOMETER 29875

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 23.0 °C AIR TEMP(1cm) 26.0

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on open sand. 15 ft. chase. Kept in captivity over winter. Weighed and measured 8/27/59. Died before it could be autopsied 4/19/60.

SPECIES Uma scoparia TAG NO.

CONTAINER NO. R5 SEX ♂ AGE imm. TOE CLIP 3

WEIGHT(gms) 5.9 SNOUT-VENT LENGTH(mm) 60

DATE Aug. 20, 1959 SPEEDOMETER 29875

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 34

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 23.0 °C AIR TEMP(1cm) 26.0 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on open sand. 30 ft. chase. Kept in captivity over winter. Weighed & measured 8/27/59. Died before it could be autopsied 4/19/60.

Uma scoparia

B24 ♂ imm. 4

6.8 E 63

Aug. 20, 1959 29875

22 mi. E. of 29 Palms

San Bernardino

0950 % 0

M — % 33

W 0 1400

0 °C

23.0 26.0

40.2 36.8

SUBSTRATE TEMP____°C

creosote bush scrub

CHASE 5 FEET

sitting in sun beneath creosote bush. ~~scrub~~ Kept in captivity over winter. Weighed & measured 8/27/59. Died before it could be autopsied 4/19/60.

SPECIES: Uma scoparia TAG NO.

CONTAINER NO. B20 SEX ♂ AGE imm.? TOE CLIPS 5

WEIGHT(gms) 6.6 SNOUT-VENT LENGTH(mm) 64

DATE Aug. 20, 1959 SPEEDOMETER 29876

LOCALITY 23 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 33

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 28.0 °C AIR TEMP(1cm) 30.0 °C

SOIL SURFACE TEMP 43.0 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on a black rock. 80 ft. chase. Kept in captivity over winter. Weighed & measured 8/27/59. Died before it could be autopsied 4/19/60.

Uma scoparia

R34 ♂ ad. 6

16.2 80

Aug. 20, 1959 29877

24 mi. E. of 29 Palms

San Bernardino CALIF.

1330 0

— 15

S.E. 1500

12-15

31.5 °C 35.0

47.5 °C 40.2

creosote bush scrub

sitting in sun on open sand. 30 ft. chase. Kept in captivity over winter. Weighed & measured 8/27/59. Died before it could be autopsied 4/19/60.

SPECIES Uma scoparia TAG. NO.

COLLECTOR'S NO. R47 SEX ♂ AGE ad.(?) TOTAL LENGTH 7

WEIGHT(gms) 9.7 SNOUT-VENT LENGTH(mm) 69

DATE Aug. 20, 1959 SPECIMEN NO. 29875

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 38

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 22.4 °C AIR TEMP(1cm) 25.2 °C

SOIL SURFACE TEMP 34.3 °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on open sand. 15 ft. chase. Kept in captivity over winter. Weighed & measured 8/27/59. Died before it could be autopsied 4/19/60.

SPECIES Uma scoparia TAG NO.

SERIAL NO. R46 SEX ♂ AGE ad. TAIL CLIPPED 10

WEIGHT(gms) 30.3 SNOUT-VENT LENGTH(mm) 99

DATE Aug. 20, 1959 SPEDOMETER 29875

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 37

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 22.4 °C AIR TEMP(1cm) 25.2 °C

SOIL SURFACE TEMP 34.3 °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush. 5 ft. chase. Kept in captivity over winter. Weighed & measured 8/27/59. Died before it could be autopsied 4/19/60.

SPECIES Uma scoparia TAG NO.

SPECIMEN NO. R 8 SEX ♂ AGE ad. TOD CLIP ● 14

WEIGHT(gms) 26.0 SNOUT-VENT LENGTH(mm) 95

DATE Aug. 20, 1959 SPEDOMETER 29875

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 38

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 1-3 ROAD TEMP.

AIR TEMP (30 in) 22.4 °C AIR TEMP(1cm) 25.2 °C

SOIL SURFACE TEMP 34.3 °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on open sand. 10 ft. chase. Kept in captivity over winter. Weighed & measured 8/27/59. Died before it could be autopsied 4/19/60.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE OCT 24 1959 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.6 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 31.0 °C CLOACAL TEMP 33.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE OCT 24 1959 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.6 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 31.0 °C CLOACAL TEMP 36.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun on sand

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 56

DATE OCT 24 1959 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.6 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 31.0 °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES UMA SCOPARIA TAG. NO. [redacted]

CONTAINER NO. B 50 SEX ♂ AGE imm. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE APR 21 1960 SPEEDOMETER 35413

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1105 CLOUDS(% overcast) <10 (thin)

MOON – RELATIVE HUMIDITY(%) –

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 47.2 °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on open sand

SPECIES *Uma scoparia* TAG. NO. _____

CONTAINER NO. *R4* SEX *♂* AGE *ad* TOE CLIP # *14*

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 10 1980 SPEEDOMETER _____

LOCALITY *21 mi. E. of 29 Palms*

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME *0955* CLOUDS(% overcast) *50*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *S. E.* ALTITUDE(ft.) *1400*

WIND VELOCITY(mi/hr) *3-5* ROAD TEMP. _____ °C

AIR TEMP(30 in) *33.8* °C AIR TEMP(1 cm) *34.6* °C

SOIL SURFACE TEMP *46.8* °C CLOACAL TEMP *40.8* °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE *0* FEET

REMARKS: *in shade of creosote bush*

Escaped from bag.

SPECIES UMA SCOPARIA TAG. NO. _____

CONTAINER NO. R1 SEX ♂ AGE ad TOE CLIP# 4

WEIGHT(gms) 18.3 AUG. 18, 1960 SNOUT-VENT LENGTH(mm) 84

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 21 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released in outdoor cage #3

AUG 18 1960 Found dead Sept. 8, 1960

SPECIES UMA SCOPARIA TAG. NO. _____

CONTAINER NO. R1 SEX ♀ AGE ad TOE CLIP# 10

WEIGHT(gms) 20.8 AVE. 18,1960 SNOUT-VENT LENGTH(mm) 91

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 21 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 60

MOON – RELATIVE HUMIDITY(%) –

WIND DIRECTION S. E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible] BUSH SCRUB

CHASE _____ FEET

REMARKS: Released in outdoor cage #3

AUG 18 1960 Died over the winter.

SPECIES UMA SCOPARIA TAG. NO. _____

CONTAINER NO. R1 SEX ♀ AGE ad? TOE CLIP# 6

WEIGHT(gms) 10.7 Aug 18, 1960 SNOUT-VENT LENGTH(mm) 73

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 21 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 60

MOON – RELATIVE HUMIDITY(%) –

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released in outdoor cage #3

AUG 18 1960

Not recovered.

SPECIES UMA SCOPARIA TAG. NO. _____

CONTAINER NO. R1 SEX ♀ AGE ad TOE CLIP # 11

WEIGHT(gms) 18.4 AUG. 18, 1960 SNOUT-VENT LENGTH(mm) 87

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 21 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT DESERT BUSH SCRUB

CHASE _____ FEET

REMARKS: Released in outdoor cage #3

AUG 18 1960

Not recovered

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. B 61 SEX ♀ AGE ad TOE CLIP# 160

WEIGHT(gms) 7.7 SNOUT-VENT LENGTH(mm) 85

DATE JUN 15 1961 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 44.2 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in shade of Larrea. Released at collecting site.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. B61 SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE APR 23 1982 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun. Marked & released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. B76 SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE APR 23 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: in sun. Marked + released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 861 SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE APR 23 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: in broken shade of Larrea, Marked & released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE JUN 5 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand (Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE JUN 5 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand (Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE JUN 5 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in sun on sand (Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE JUL 17 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in broken shade of Larrea (Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE JUL 17 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in sun on sand (Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE AUG 10 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0800 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade on sand

(Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE AUG 10 1982 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in sun on sand

(Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE AUG 1 0 _____ SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: in sun on sand

(Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE AUG 10 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: in sun on sand

(Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE SEP 11 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: (Released)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE FEB 22 1963 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.0 °C AIR TEMP(1 cm) 18.2 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 25.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 43

DATE FEB 22 1963 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.0 °C AIR TEMP(1 cm) 18.2 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE FEB 22 1963 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.0 °C AIR TEMP(1 cm) 18.2 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 30.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE FEB 22 1983 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE FEB 22 1963 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Buried when found.
Released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE FEB 22 1983 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: Released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE FEB 22 1963 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Buried when found.
Released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE FEB 22 1963 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Buried when found.
Released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE FEB 22 1963 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.6 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP 33.0 °C CLOACAL TEMP 28.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Ran 100 feet, then went into hole. Released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE FEB 22 1963 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.6 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP 33.0 °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE FEB 22 1968 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.6 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP 33.0 °C CLOACAL TEMP 28.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: Buried when found.
Released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 44

DATE FEB 22 1963 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ~15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.6 °C AIR TEMP(1 cm) 23.8 °C

SOIL SURFACE TEMP 30.5 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Released.

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ? AGE imm TOE CLIP# _____

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) _____

DATE MAY 5 1968 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 42.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: Escaped

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. B80 SEX ♀ AGE imm TOE CLIP# 141

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE JUN 12 1963 SPEEDOMETER _____

LOCALITY 2 mi. W. of Lenwood

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 90

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 2200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 3 FEET

REMARKS: Given to Ron Oshima

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE APR 5 1964 SPEEDOMETER _____

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. Y8 SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE APR 4 1964 SPEEDOMETER _____

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 41

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1480

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 38

DATE AUG 18 1984 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 41

DATE AUG 1 8 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0820 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE AUG 1 8 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 41

DATE AUG 1 8 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 39

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0915 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 38

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1650 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 03 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 43.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade

Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. Y2 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 108

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1000 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. Y2 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) ~~105~~ 79

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0925 CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: Given to Walt Mobeerly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 012 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE AUG 13 [illegible] SPEEDOMETER _____

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1615 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 012 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1615 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: ~~CREOSOTE BUSH SCRUB~~

Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 012 SEX ♀ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1620 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 012 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE AUG 18 1984 SPEEDOMETER _____

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1620 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 012 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1625 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 012 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 95

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1615 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 012 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 88

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1630 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. 012 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY 6 mi. NE of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1635 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

Given to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

STAINER NO. W28 SEX ♂ AGE ad-♂ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade

sent to Walt Moberly (U. of Michigan)

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. W28 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade

Sent to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. W28 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 98

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade

Sent to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. W28 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: Sent to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. W28 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade

Sent to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. W12 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: Sent to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. W12 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade

Sent to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. W12 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1342 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade

Sent to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. W12 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE SEP 28 1984 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1350 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in shade

Sent to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. W12 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1525 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: Sent to Walt Moberly

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: released, in shade

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 48

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 47

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 50

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 49

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1455 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun, released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 40

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 43

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1520 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 45

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1530 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♀ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 42

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1535 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 43mm

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1555 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 44

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1544 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: Released

SPECIES UMA SCOPARIA TAG NO. _____

CONTAINER NO. — SEX ♂ AGE juv TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 44

DATE SEP 28 1964 SPEEDOMETER _____

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1550 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: Released

_____ES_____ TAG NO._____

_____INER NO._____ SEX_____ AGE_____ TOE CLIPP_____

_____T(gms)_____ SNOUT-VENT LENGTH(mm)_____

_____SPEEDOMETER_____

_____ITY_____

_____TY_____ CALIFORNIA

_____OARD TIME_____ CLOUDS(% overcast)_____

_____RELATIVE HUMIDITY(%)_____

_____DIRECTION_____ ALTITUDE(ft)_____

VELOCITY(mi/hr)_____ ROAD TEMP._____°C

TEMP(1 m)_____°C AIR TEMP(1 cm)_____°C

SURFACE TEMP_____°C GROUND TEMP_____°C

SURFACE TEMP_____°C SUBSTRATE TEMP_____°C

_____TAT

_____ FEET

_____KS:

_____

_____

_____

_____

_____


R-351
STEEL BACKPLATE
S. E. & M. VERNON, INC.
U. S. A.